

CONTENTS

(Abstracts/contents lists published in: Chem. Abstr.; Curr. Contents; Phys. Chem. Earth Sci., Life Sci.)

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| The nuclear Overhauser effect and structural factors determining the conformations of disaccharide glycosides G. M. LIPKIND, A. S. SHASHKOV, S. S. MAMYAN, AND N. K. KOCHETKOV (Moscow, U.S.S.R.) | 1 |
| The interaction of lead(II) with glycuronans: u.v. absorption and circular dichroism spectra A. CESÀRO, F. DELBEN, A. FLAIBANI, AND S. PAOLETTI (Trieste, Italy) | 13 |
| Cation interactions in gellan: an X-ray study of the potassium salt R. CHANDRASEKARAN, L. C. PUIGJANER, K. L. JOYCE, AND S. ARNOTT (West Lafayette, IN, U.S.A.) | 23 |
| Crystal structure and conformational features of α -panose S. IMBERTY (Saint Martin d'Hères, France) AND S. PÉREZ (Nantes, France) | 41 |
| Synthesis of pseudo-trehaloses: [(1,2,4/3,5)-2,3,4-trihydroxy-5-hydroxymethyl-1-cyclohexyl] D-glucopyranosides S. OGAWA, S. YOKOI, N. KIMURA, Y. SHIBATA, AND N. CHIDA (Yokohama, Japan) | 57 |
| Action of ultrasound on deoxygenated aqueous solutions of D-glucose H. HEUSINGER (Garching, F.R.G.) | 67 |
| Epimerization during the acetolysis of 3-O-acetyl-5-O-benzoyl-1,2-O-isopropylidene-3-C-methyl- α -D-ribofuranose. Synthesis of 3'-C-methylnucleosides with the β -D-ribo- and α -D-arabino configurations L. N. BEIGELMAN, G. V. GURSKAYA, E. N. TSAPKINA, AND S. N. MIKHAILOV (Moscow, U.S.S.R.) | 77 |
| Partially esterified sucrose derivatives: synthesis of 6-O-acetyl-2,3,4-tri-O-[(S)-3-methylpentanoyl]sucrose, a naturally occurring flavour precursor of tobacco P. J. GAREGG, S. OSCARSON, AND H. RITZÉN (Stockholm, Sweden) | 89 |
| Ring expansions in carbohydrate chemistry: <i>gem</i> -azoacetates J. M. J. TRONCHET, J. F. TRONCHET, F. RACHIDZADEH, F. BARBALAT-REY, AND G. BERNADINELLI (Geneva, Switzerland) | 97 |
| Two methyl anhydro-D-fructopyranosides prepared from D-mannitol H. B. SINCLAIR (Peoria, IL, U.S.A.) | 115 |
| Synthesis of 2-deoxy-D-arabino-(6- ¹³ C)hexose T. E. WALKER, D. S. EHLE, AND C. J. UNKEFER (Los Alamos, NM, U.S.A.) | 125 |
| The sulfated polysaccharide-peptidoglycan complex potently inhibits embryonic angiogenesis and tumor growth in the presence of cortisone acetate K. INOUE, H. KORENAGA, N. G. TANAKA, N. SAKAMOTO, AND S. KADOYA (Tokyo, Japan) | 135 |
| Characterization of the exocellular polysaccharides from <i>Azotobacter chroococcum</i> G. L. COTE AND L. H. KRULL (Peoria, IL, U.S.A.) | 143 |

(Continued overleaf)

| | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Bacteriophage degradation of the capsular polysaccharide from <i>Klebsiella</i> K69: location of the <i>O</i> -acetyl groups P. L. HACKLAND, H. PAROLIS (Grahamstown, South Africa), A. DELL, AND P. R. TILLER (London, Gt. Britain) | 153 |
| <i>Neisseria perflava</i> amylosucrase: characterization of its product polysaccharide and a study of its inhibition by sucrose derivatives B. Y. TAO, P. J. REILLY, AND J. F. ROBYT (Ames, IA, U.S.A.) | 163 |
| Characterisation of anti-complementary acidic heteroglycans from the leaves of <i>Panax ginseng</i> C. A. MEYER Q.-P. GAO, H. KIYOHARA, J.-C. CYONG, AND H. YAMADA (Tokyo, Japan) | 175 |
| 1,5-Anhydro- β -L-arabinofuranose from pyrolysis of plant cell wall materials (biomass) M. G. ESSIG AND G. N. RICHARDS (Missoula, MT, U.S.A.) | 189 |
| A glucomannan from <i>Candida utilis</i> methylation analysis and fragmentation analysis by controlled acetolysis of the glucomannan K. OGAWA, K. MATSUDA, K. TAMARI, AND S. KIYO-OKA (Fukushima, Japan) | 197 |
| Minor, protein-containing galactomannans from the insect-body portion of the fungal preparation Chán Huā (<i>Cordyceps cicadae</i>) T. KIHIO, I. MIYAMOTO, K. NAGAI, S. UKAI, AND C. HARA, (Gifu, Japan) | 207 |
| <i>Notes</i> | |
| N.m.r. data on ketohexose nucleosides F. LECLERCQ AND K. ANTONAKIS (Villejuif, France) | 217 |
| Semiempirical, sodium-D-molar rotations of pyranosides and other carbohydrate model compounds B. K. SATHYANARAYANA AND E. S. STEVENS (Binghamton, NY, U.S.A.) | 223 |
| A ^{13}C -n.m.r. study of the 6-deoxy-D-altropyranose-containing pentasaccharide chain present in a polysialoglycoprotein isolated from the eggs of <i>Salvelinus leucomaenis pluvius</i> (Japanese common char; <i>Iwana</i>) M. IWASAKI AND S. INOUE (Tokyo, Japan) | 229 |
| Assignment of the <i>O</i> -acetyl carbonyl carbon atoms of cellulose triacetate via 2D, long-range, proton-carbon chemical-shift-correlation data P. DAIS (Crete, Greece) AND A. S. PERLIN (Montreal, Quebec, Canada) | 233 |
| Further use of <i>O</i> -(2,3,4-tri- <i>O</i> -acetyl- α -L-fucopyranosyl)-(1 \rightarrow 3)- <i>O</i> -(2-acetamido-4,6-di- <i>O</i> -acetyl-2-deoxy- β -D-glucopyranosyl)-(1 \rightarrow 3)-2,4,6-tri- <i>O</i> -acetyl- α -D-galactopyranosyl bromide as a glycosyl donor. Synthesis of two mucin-type tetrasaccharides R. DUBEY, S. A. ABBAS, AND K. L. MATTA (Buffalo, NY, U.S.A.) | 236 |
| <i>Streptococcus pneumoniae</i> type 19A polysaccharide. Synthesis of the trisaccharide component of the repeating unit L. PANZA, F. RONCHETTI, AND L. TOMA (Milan, Italy) | 242 |

| | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| A new approach to the synthesis and selective hydrolysis of <i>tert</i> -butyl glycosides J. M. LACOMBE, N. RAKOTOMANOMANA, AND A. A. PAVIA, (Avignon, France) | 246 |
| Synthesis of aminoglycal derivatives, precursors of glycosidic moieties of antitumor anthracyclines J.-C. FLORENT, J. UGHETTO-MONFRIN, AND C. MONNERET (Paris, France) | 253 |
| Preparation of some aryl α -L-arabinofuranosides as substrates for arabinofuranosidase M. A. KELLY, M. L. SINNOTT, AND D. WIDDOWS (Bristol, Gt. Britain) | 262 |
| Synthesis of 2,3- <i>O</i> -isopropylidene- and 3- <i>O</i> -benzoyl-2- <i>O</i> -benzyl-2- <i>C</i> -methyl-L-glyceraldehyde M. YAMAURA, T. SUZUKI, Y. TAGAMI, H. HASHIMOTO, AND J. YOSHIMURA (Yokohama, Japan) | 267 |
| Xyloglucan in the cell walls of cotton fiber T. HAYASHI AND D. P. DELMER (Dublin, CA, U.S.A.) | 273 |
| A xyloglucan from olive pulp A. GIL-SERRANO AND P. TEJERO-MATEO (Seville, Spain) | 278 |
| Structure of the exocellular polysaccharide produced by the fungus <i>Nomuraea rileyi</i> J.-P. LATGÉ (Paris, France), D. G. BOUCIAS, (Gainesville, FL. U.S.A.), AND B. FOURNET (Villeneuve d'Ascq, France) | 282 |
| A neutral seed-gum from <i>Crotalaria verrucosa</i> R. GUPTA AND P. CHANDRA GUPTA (Allahabad, India) | 287 |
| Author index | c1 |
| Subject index | c3 |